



U.S. Department of Justice

Office of Justice Programs

National Institute of Justice

Washington, D.C. 20530

NIJ Non-compliance Notice #10-2011

EFFECTIVE DATE: April 1, 2011

SUBJECT: PACA Body Armor Model AIIAF

The National Institute of Justice (NIJ) hereby advises that PACA ballistic body armor model AIIAF manufactured at the Jacksboro Facility prior to this date have been identified as having variations not previously evaluated for compliance with NIJ Standard 0101.06. The manufacturing location and date of manufacture can be found on the label affixed directly to the ballistic panels.

We are not aware of any failures related to these variations. However, all of the ballistic body armors described above should be replaced as soon as possible.

NIJ encourages law enforcement and corrections officers to continue to wear their body armor until it is replaced. Wearing armor that may have reduced effectiveness is better than not wearing any armor.

For further information, contact:

National Law Enforcement and Corrections Technology Center-National
2277 Research Blvd., Mail Stop 8-J
Rockville, MD 20850
(800) 248-2742/(301) 519-5060
E-mail: bactp@nlectc.org

Supplementary information

Information about NIJ Standard 0101.06 *Ballistic Resistance of Personal Body Armor* can be found at <http://www.justnet.org/CTP>. NIJ's research and testing reports in response to the Attorney General's Body Armor Safety Initiative can be found at <https://vests.ojp.gov>.